

```

<?xml version="1.0" encoding="UTF-8"?>
<quiz>
<!-- question: 0 -->
  <question type="category">
    <category>
      <text>$course$/top/Privzeto za test_123/Vprašanja za izvoz</
text>
    </category>
    <info format="html">
      <text><![CDATA[Predloga vprašanj za izvoz v različnih
formatih.]]></text>
    </info>
    <idnumber></idnumber>
  </question>

<!-- question: 11988 -->
  <question type="essay">
    <name>
      <text>V7: Esejski tip vprašanja</text>
    </name>
    <questiontext format="html">
      <text><![CDATA[Besedilo esejskega tipa vprašanja V7.]]></text>
    </questiontext>
    <generalfeedback format="html">
      <text><![CDATA[Splošni odziv V7.]]></text>
    </generalfeedback>
    <defaultgrade>1.000000</defaultgrade>
    <penalty>0.000000</penalty>
    <hidden>0</hidden>
    <idnumber></idnumber>
    <responseformat>editor</responseformat>
    <responserequired>1</responserequired>
    <responsefieldlines>15</responsefieldlines>
    <attachments>0</attachments>
    <attachmentsrequired>0</attachmentsrequired>
    <maxbytes>0</maxbytes>
    <filetypeslist></filetypeslist>
    <graderinfo format="html">
      <text></text>
    </graderinfo>
    <responsetemplate format="html">
      <text></text>
    </responsetemplate>
  </question>

<!-- question: 11989 -->
  <question type="gapselect">
    <name>
      <text>V8: Vprašanje tipa manjkajoče besede</text>
    </name>
    <questiontext format="html">
      <text><![CDATA[Besedilo vprašanja tipa manjkajoče besede V8
(naključen tekst).<p><span lang="SL">Video provides a powerful [[1]]
to help you prove your point. When you click Online Video, you can

```

paste in the embed code for the video you [[2]] to add. You can also type a keyword to search online for the video that [[3]] fits your document. To make your document look professionally produced, Word provides [[4]], [[5]], cover page and text box designs that complement each other. For example, you can add a matching cover page, header and sidebar. Click Insert, then choose the [[6]] you want from the different galleries.</span>]]></text>

```
</questiontext>
<generalfeedback format="html">
  <text><![CDATA[Splošni odziv]]></text>
</generalfeedback>
<defaultgrade>1.000000</defaultgrade>
<penalty>0.333333</penalty>
<hidden>0</hidden>
<idnumber></idnumber>
<shuffleanswers>1</shuffleanswers>
<correctfeedback format="html">
  <text>Vaš odgovor je pravilen.</text>
</correctfeedback>
<partiallycorrectfeedback format="html">
  <text>Vaš odgovor je delno pravilen.</text>
</partiallycorrectfeedback>
<incorrectfeedback format="html">
  <text>Vaš odgovor je nepravilen.</text>
</incorrectfeedback>
<shownumcorrect/>
<selectoption>
  <text>možnost A1</text>
  <group>1</group>
</selectoption>
<selectoption>
  <text>možnost A2</text>
  <group>1</group>
</selectoption>
<selectoption>
  <text>možnost A3</text>
  <group>1</group>
</selectoption>
<selectoption>
  <text>možnost A4</text>
  <group>1</group>
</selectoption>
<selectoption>
  <text>možnost B1</text>
  <group>2</group>
</selectoption>
<selectoption>
  <text>možnost B2</text>
  <group>2</group>
</selectoption>
</question>

<!-- question: 11985 -->
<question type="matching">
```

```

<name>
  <text>V4: Vprašanje ujemanja</text>
</name>
<questiontext format="html">
  <text><![CDATA[Besedilo vprašanja V4.]]></text>
</questiontext>
<generalfeedback format="html">
  <text><![CDATA[Splošni odziv vprašanja V4.]]></text>
</generalfeedback>
<defaultgrade>1.0000000</defaultgrade>
<penalty>0.3333333</penalty>
<hidden>0</hidden>
<idnumber></idnumber>
<shuffleanswers>>true</shuffleanswers>
<correctfeedback format="html">
  <text>Vaš odgovor je pravilen.</text>
</correctfeedback>
<partiallycorrectfeedback format="html">
  <text>Vaš odgovor je delno pravilen.</text>
</partiallycorrectfeedback>
<incorrectfeedback format="html">
  <text>Vaš odgovor je nepravilen.</text>
</incorrectfeedback>
<shownumcorrect/>
<subquestion format="html">
  <text><![CDATA[Prvo vprašanje]]></text>
  <answer>
    <text>Prvi odgovor</text>
  </answer>
</subquestion>
<subquestion format="html">
  <text><![CDATA[Drugo vprašanje]]></text>
  <answer>
    <text>Drugi odgovor</text>
  </answer>
</subquestion>
<subquestion format="html">
  <text><![CDATA[Tretje vprašanje]]></text>
  <answer>
    <text>Tretji odgovor</text>
  </answer>
</subquestion>
<subquestion format="html">
  <text></text>
  <answer>
    <text>Četrty odgovor</text>
  </answer>
</subquestion>
</question>

```

```

<!-- question: 11990 -->

```

```

<question type="cloze">

```

```

  <name>

```

```

    <text>V9: Ugnezdeni tip vprašanja (dopolnitveno, CLOZE

```

```

vprašanje)</text>
</name>
<questiontext format="html">
  <text><![CDATA[<p>Besedilo vgnezdenega tipa vprašanja
V9:<p>This question consists of some text with an answer embedded
right here {1:MULTICHOICE:Wrong answer#Feedback for this wrong
answer~Another wrong answer#Feedback for the other wrong
answer~Correct answer#Feedback for correct answer~%50%Answer that
gives half the credit#Feedback for half credit answer}<p>and right
after that you will have to deal with this short answer
{1:SHORTANSWER:Wrong answer#Feedback for this wrong answer~Correct
answer#Feedback for correct answer~%50%Answer that gives half the
credit#Feedback for half credit answer}<p>and finally we have a
floating point number {2:NUMERICAL:=23.8:0.1#Feedback for correct
answer 23.8~%50%23.8:2#Feedback for half credit answer in the nearby
region of the correct answer}.<p>The multichoice question can also
be shown in the vertical display of the standard moodle multiple
choice. {2:MCV:1. Wrong answer#Feedback for this wrong answer~2.
Another wrong answer#Feedback for the other wrong answer~3. Correct
answer#Feedback for correct answer~%50%4. Answer that gives half the
credit#Feedback for half credit answer}<p>Or in an horizontal
display that is included here in a table {2:MCH:a. Wrong
answer#Feedback for this wrong answer~b. Another wrong
answer#Feedback for the other wrong answer~c. Correct
answer#Feedback for correct answer~%50%d. Answer that gives half the
credit#Feedback for half credit answer}<p>A shortanswer question
where case must match. Write moodle in upper case letters
{1:SHORTANSWER_C:moodle#Feedback for moodle in lower case
~MOODLE#Feedback for MOODLE in upper case ~%50%Moodle#Feedback for
only first letter in upper case}<p>Note that addresses like
www.moodle.org and smileys:-) all work as normal:<p>a) How good is
this? {1:MULTICHOICE:=Yes#Correct~No#We have a different opinion}
<p>b) What grade would you give it? {3:NUMERICAL:=3:2}}></text>
</questiontext>
<generalfeedback format="html">
  <text><![CDATA[Splošni odziv na vprašanje V9.]]></text>
</generalfeedback>
<penalty>0.3333333</penalty>
<hidden>0</hidden>
<idnumber></idnumber>
</question>

```

```

<!-- question: 11982 -->
<question type="multichoice">
  <name>
    <text>V1: Vprašanje izbirnega tipa z enim pravilnim
odgovorom</text>
  </name>
  <questiontext format="html">
    <text><![CDATA[Besedilo prvega vprašanja.]]></text>
  </questiontext>
  <generalfeedback format="html">
    <text><![CDATA[Splošni odziv.]]></text>
  </generalfeedback>

```

```

<defaultgrade>1.0000000</defaultgrade>
<penalty>0.3333333</penalty>
<hidden>0</hidden>
<idnumber></idnumber>
<single>>true</single>
<shuffleanswers>>true</shuffleanswers>
<answernumbering>abc</answernumbering>
<showstandardinstruction>0</showstandardinstruction>
<correctfeedback format="html">
  <text>Vaš odgovor je pravilen.</text>
</correctfeedback>
<partiallycorrectfeedback format="html">
  <text>Vaš odgovor je delno pravilen.</text>
</partiallycorrectfeedback>
<incorrectfeedback format="html">
  <text>Vaš odgovor je nepravilen.</text>
</incorrectfeedback>
<shownumcorrect/>
<answer fraction="0" format="html">
  <text><![CDATA[Prva izbira]]></text>
  <feedback format="html">
    <text><![CDATA[Prva izbira žal ni pravilna.]]></text>
  </feedback>
</answer>
<answer fraction="100" format="html">
  <text><![CDATA[Druga izbira]]></text>
  <feedback format="html">
    <text><![CDATA[Druga izbira je pravilen odgovor.]]></text>
  </feedback>
</answer>
<answer fraction="0" format="html">
  <text><![CDATA[Tretja izbira]]></text>
  <feedback format="html">
    <text><![CDATA[Tretja izbira ni pravilen odgovor.]]></text>
  </feedback>
</answer>
</question>

```

```

<!-- question: 11983 -->
<question type="multichoice">
  <name>
    <text>V2: Vprašanje izbirnega tipa z več pravilnimi odgovori</
text>
  </name>
  <questiontext format="html">
    <text><![CDATA[Besedilo vprašanja V2.]]></text>
  </questiontext>
  <generalfeedback format="html">
    <text><![CDATA[Splošni odziv na vprašanje V2.]]></text>
  </generalfeedback>
  <defaultgrade>1.0000000</defaultgrade>
  <penalty>0.3333333</penalty>
  <hidden>0</hidden>
  <idnumber></idnumber>

```

```

<single>>false</single>
<shuffleanswers>>true</shuffleanswers>
<answernumbering>abc</answernumbering>
<showstandardinstruction>0</showstandardinstruction>
<correctfeedback format="html">
  <text>Vaš odgovor je pravilen.</text>
</correctfeedback>
<partiallycorrectfeedback format="html">
  <text>Vaš odgovor je delno pravilen.</text>
</partiallycorrectfeedback>
<incorrectfeedback format="html">
  <text>Vaš odgovor je nepravilen.</text>
</incorrectfeedback>
<shownumcorrect/>
<answer fraction="0" format="html">
  <text><![CDATA[Prva izbira]]></text>
  <feedback format="html">
    <text><![CDATA[Napačna izbira.]]></text>
  </feedback>
</answer>
<answer fraction="50" format="html">
  <text><![CDATA[Druga izbira]]></text>
  <feedback format="html">
    <text><![CDATA[Pravilna izbira, ki prinese 50% točk.]]></
text>
  </feedback>
</answer>
<answer fraction="50" format="html">
  <text><![CDATA[Tretja izbira]]></text>
  <feedback format="html">
    <text><![CDATA[Pravilna izbira, ki prinese 50% točk.]]></
text>
  </feedback>
</answer>
<answer fraction="0" format="html">
  <text><![CDATA[Četrta izbira]]></text>
  <feedback format="html">
    <text><![CDATA[Napačna izbira.]]></text>
  </feedback>
</answer>
</question>
<!-- question: 11987 -->
<question type="numerical">
  <name>
    <text>V6: Številčni tip vprašanja</text>
  </name>
  <questiontext format="html">
    <text><![CDATA[Besedilo številčnega tipa vprašanja]]></text>
  </questiontext>
  <generalfeedback format="html">
    <text><![CDATA[Splošni odziv na številčni tip vprašanja.]]></
text>
  </generalfeedback>

```

```

<defaultgrade>1.0000000</defaultgrade>
<penalty>0.3333333</penalty>
<hidden>0</hidden>
<idnumber></idnumber>
<answer fraction="100" format="moodle_auto_format">
  <text>10</text>
  <feedback format="html">
    <text><![CDATA[Odziv na pravilen odgovor (10).]]></text>
  </feedback>
  <tolerance>0</tolerance>
</answer>
<answer fraction="0" format="moodle_auto_format">
  <text>12</text>
  <feedback format="html">
    <text><![CDATA[Odziv na napačen odgovor (12).]]></text>
  </feedback>
  <tolerance>0</tolerance>
</answer>
<answer fraction="0" format="moodle_auto_format">
  <text>8</text>
  <feedback format="html">
    <text><![CDATA[Odziv na napačen odgovor (8).]]></text>
  </feedback>
  <tolerance>0</tolerance>
</answer>
<units>
  <unit>
    <multiplier>1</multiplier>
    <unit_name>cm</unit_name>
  </unit>
  <unit>
    <multiplier>10</multiplier>
    <unit_name>mm</unit_name>
  </unit>
  <unit>
    <multiplier>0.1</multiplier>
    <unit_name>dm</unit_name>
  </unit>
</units>
<unitgradingtype>0</unitgradingtype>
<unitpenalty>0.1000000</unitpenalty>
<showunits>0</showunits>
<unitsleft>0</unitsleft>
</question>

```

```

<!-- question: 11986 -->
<question type="shortanswer">
  <name>
    <text>V5: Vprašanje tipa kratek odgovor</text>
  </name>
  <questiontext format="html">
    <text><![CDATA[Besedilo vprašanja V5.]]></text>
  </questiontext>
  <generalfeedback format="html">

```

```

    <text><![CDATA[Splošni odziv vprašanja V5.]]></text>
</generalfeedback>
<defaultgrade>1.0000000</defaultgrade>
<penalty>0.3333333</penalty>
<hidden>0</hidden>
<idnumber></idnumber>
<usecase>1</usecase>
<answer fraction="100" format="moodle_auto_format">
  <text>Pravilni odgovor</text>
  <feedback format="html">
    <text><![CDATA[Odziv na pravilni odgovor]]></text>
  </feedback>
</answer>
<answer fraction="100" format="moodle_auto_format">
  <text>Pravilni odgovor 2</text>
  <feedback format="html">
    <text><![CDATA[Odziv na pravilni odgovor 2]]></text>
  </feedback>
</answer>
<answer fraction="50" format="moodle_auto_format">
  <text>Delno pravilen odgovor</text>
  <feedback format="html">
    <text><![CDATA[Odzivna delno pravilen odgovor]]></text>
  </feedback>
</answer>
</question>

<!-- question: 11984 -->
<question type="truefalse">
  <name>
    <text>V3: Vprašanje tipa drži/ne drži</text>
  </name>
  <questiontext format="html">
    <text><![CDATA[Besedilo vprašanja V3.]]></text>
  </questiontext>
  <generalfeedback format="html">
    <text><![CDATA[Splošni odziv na vprašanje V3.]]></text>
  </generalfeedback>
  <defaultgrade>1.0000000</defaultgrade>
  <penalty>1.0000000</penalty>
  <hidden>0</hidden>
  <idnumber></idnumber>
  <answer fraction="0" format="moodle_auto_format">
    <text>>true</text>
    <feedback format="html">
      <text><![CDATA[Odziv za odgovor Drži (ni pravilen
odgovor).]]></text>
    </feedback>
  </answer>
  <answer fraction="100" format="moodle_auto_format">
    <text>>false</text>
    <feedback format="html">
      <text><![CDATA[Odziv za odgovor Ne drži (pravilen
odgovor).]]></text>
    </feedback>
  </answer>
</question>

```



```
    </feedback>
  </answer>
</question>

</quiz>
```